

FORM PTO-1399 (Modified) (REV 11-99)		U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE		ATTORNEY'S DOCKET NUMBER <b>204415US0PCT</b>	
TRANSMITTAL LETTER TO THE UNITED STATES DESIGNATED/ELECTED OFFICE (DO/EO/US) CONCERNING A FILING UNDER 35 U.S.C. 371				U.S. APPLICATION NO. (IF KNOWN, SEE 37 CFR <b>09/186359</b>	
INTERNATIONAL APPLICATION NO. <b>PCT/JP99/04978</b>		INTERNATIONAL FILING DATE <b>10 September 1999</b>		PRIORITY DATE CLAIMED <b>14 September 1998</b>	
TITLE OF INVENTION <b>NEW USE</b>					
APPLICANT(S) FOR DO/EO/US <b>Nobuchika YAMAMOTO, et al.</b>					
Applicant herewith submits to the United States Designated/Elected Office (DO/EO/US) the following items and other information:					
<ol style="list-style-type: none"> <li><input checked="" type="checkbox"/> This is a <b>FIRST</b> submission of items concerning a filing under 35 U.S.C. 371.</li> <li><input type="checkbox"/> This is a <b>SECOND</b> or <b>SUBSEQUENT</b> submission of items concerning a filing under 35 U.S.C. 371.</li> <li><input checked="" type="checkbox"/> This is an express request to begin national examination procedures (35 U.S.C. 371(f)) at any time rather than delay examination until the expiration of the applicable time limit set in 35 U.S.C. 371(b) and PCT Articles 22 and 39(1).</li> <li><input checked="" type="checkbox"/> A proper Demand for International Preliminary Examination was made by the 19th month from the earliest claimed priority date.</li> <li><input checked="" type="checkbox"/> A copy of the International Application as filed (35 U.S.C. 371 (c) (2))             <ol style="list-style-type: none"> <li><input type="checkbox"/> is transmitted herewith (required only if not transmitted by the International Bureau).</li> <li><input checked="" type="checkbox"/> has been transmitted by the International Bureau.</li> <li><input type="checkbox"/> is not required, as the application was filed in the United States Receiving Office (RO/US).</li> </ol> </li> <li><input type="checkbox"/> A translation of the International Application into English (35 U.S.C. 371(c)(2)).</li> <li><input checked="" type="checkbox"/> A copy of the International Search Report (PCT/ISA/210).</li> <li><input checked="" type="checkbox"/> Amendments to the claims of the International Application under PCT Article 19 (35 U.S.C. 371 (c)(3))             <ol style="list-style-type: none"> <li><input type="checkbox"/> are transmitted herewith (required only if not transmitted by the International Bureau).</li> <li><input type="checkbox"/> have been transmitted by the International Bureau.</li> <li><input type="checkbox"/> have not been made; however, the time limit for making such amendments has NOT expired.</li> <li><input checked="" type="checkbox"/> have not been made and will not be made.</li> </ol> </li> <li><input type="checkbox"/> A translation of the amendments to the claims under PCT Article 19 (35 U.S.C. 371(c)(3)).</li> <li><input checked="" type="checkbox"/> An oath or declaration of the inventor(s) (35 U.S.C. 371 (c)(4)).</li> <li><input checked="" type="checkbox"/> A copy of the International Preliminary Examination Report (PCT/IPEA/409).</li> <li><input type="checkbox"/> A translation of the annexes to the International Preliminary Examination Report under PCT Article 36 (35 U.S.C. 371 (c)(5)).</li> </ol>					
<b>Items 13 to 20 below concern document(s) or information included:</b> <ol style="list-style-type: none"> <li><input type="checkbox"/> An Information Disclosure Statement under 37 CFR 1.97 and 1.98.</li> <li><input type="checkbox"/> An assignment document for recording. A separate cover sheet in compliance with 37 CFR 3.28 and 3.31 is included.</li> <li><input checked="" type="checkbox"/> A <b>FIRST</b> preliminary amendment.</li> <li><input type="checkbox"/> A <b>SECOND</b> or <b>SUBSEQUENT</b> preliminary amendment.</li> <li><input type="checkbox"/> A substitute specification.</li> <li><input type="checkbox"/> A change of power of attorney and/or address letter.</li> <li><input type="checkbox"/> Certificate of Mailing by Express Mail</li> <li><input checked="" type="checkbox"/> Other items or information:</li> </ol>					
<b>Request for Consideration of Documents Cited in International Search Report</b> <b>Notice of Priority</b> <b>PCT/IB/304</b> <b>PCT/IB/308</b>					

U.S. APPLICATION NO. (IF KNOWN, SEE 37 CFR) <b>097786359</b>		INTERNATIONAL APPLICATION NO. <b>PCT/JP99/04978</b>		ATTORNEY'S DOCKET NUMBER <b>204415US0PCT</b>	
---	--	--	--	---	--

21. The following fees are submitted: <b>BASIC NATIONAL FEE (37 CFR 1.492 (a) (1) - (5)) :</b> <ul style="list-style-type: none"> <li><input type="checkbox"/> Neither international preliminary examination fee (37 CFR 1.482) nor international search fee (37 CFR 1.445(a)(2)) paid to USPTO and International Search Report not prepared by the EPO or JPO ..... <b>\$1,000.00</b></li> <li><input checked="" type="checkbox"/> International preliminary examination fee (37 CFR 1.482) not paid to USPTO but International Search Report prepared by the EPO or JPO ..... <b>\$860.00</b></li> <li><input type="checkbox"/> International preliminary examination fee (37 CFR 1.482) not paid to USPTO but international search fee (37 CFR 1.445(a)(2)) paid to USPTO ..... <b>\$710.00</b></li> <li><input type="checkbox"/> International preliminary examination fee paid to USPTO (37 CFR 1.482) but all claims did not satisfy provisions of PCT Article 33(1)-(4) ..... <b>\$690.00</b></li> <li><input type="checkbox"/> International preliminary examination fee paid to USPTO (37 CFR 1.482) and all claims satisfied provisions of PCT Article 33(1)-(4) ..... <b>\$100.00</b></li> </ul>				<b>CALCULATIONS PTO USE ONLY</b>	
<b>ENTER APPROPRIATE BASIC FEE AMOUNT =</b>				<b>\$860.00</b>	
Surcharge of <b>\$130.00</b> for furnishing the oath or declaration later than months from the earliest claimed priority date (37 CFR 1.492 (e)). <input type="checkbox"/> 20 <input type="checkbox"/> 30				<b>\$0.00</b>	
CLAIMS	NUMBER FILED	NUMBER EXTRA	RATE		
Total claims	11 - 20 =	0	x \$18.00	<b>\$0.00</b>	
Independent claims	7 - 3 =	4	x \$80.00	<b>\$320.00</b>	
Multiple Dependent Claims (check if applicable). <input type="checkbox"/>				<b>\$0.00</b>	
<b>TOTAL OF ABOVE CALCULATIONS =</b>				<b>\$1,180.00</b>	
Reduction of 1/2 for filing by small entity, if applicable. Verified Small Entity Statement must also be filed (Note 37 CFR 1.9, 1.27, 1.28) (check if applicable). <input type="checkbox"/>				<b>\$0.00</b>	
<b>SUBTOTAL =</b>				<b>\$1,180.00</b>	
Processing fee of <b>\$130.00</b> for furnishing the English translation later than months from the earliest claimed priority date (37 CFR 1.492 (f)). <input type="checkbox"/> 20 <input type="checkbox"/> 30    +				<b>\$0.00</b>	
<b>TOTAL NATIONAL FEE =</b>				<b>\$1,180.00</b>	
Fee for recording the enclosed assignment (37 CFR 1.21(h)). The assignment must be accompanied by an appropriate cover sheet (37 CFR 3.28, 3.31) (check if applicable). <input type="checkbox"/>				<b>\$0.00</b>	
<b>TOTAL FEES ENCLOSED =</b>				<b>\$1,180.00</b>	
				Amount to be:	
				refunded	\$
				charged	\$


☒ A check in the amount of **\$1,180.00** to cover the above fees is enclosed.

☐ Please charge my Deposit Account No. \_\_\_\_\_ in the amount of \_\_\_\_\_ to cover the above fees.  
A duplicate copy of this sheet is enclosed.

☒ The Commissioner is hereby authorized to charge any fees which may be required, or credit any overpayment to Deposit Account No. **15-0030** A duplicate copy of this sheet is enclosed.


**NOTE:** Where an appropriate time limit under 37 CFR 1.494 or 1.495 has not been met, a petition to revive (37 CFR 1.137(a) or (b)) must be filed and granted to restore the application to pending status.

SEND ALL CORRESPONDENCE TO:



**22850**

**WILLIAM E. BEAUMONT**  
REGISTRATION NUMBER 30,996

  
 SIGNATURE  
**Norman F. Oblon**  
 NAME  
**24,618**  
 REGISTRATION NUMBER  
*March 14, 2001*  
 DATE

204415US0PCT

IN THE UNITED STATES PATENT & TRADEMARK OFFICE

IN RE APPLICATION OF:

NOBUCHIKA YAMAMOTO ET AL

SERIAL NO: NEW US PCT APPLN. : ATTN: APPLICATION BRANCH  
(Based on PCT/JP99/04978)

FILED: HEREWITH

FOR: NEW USE

PRELIMINARY AMENDMENT

ASSISTANT COMMISSIONER FOR PATENTS  
WASHINGTON, D.C. 20231

SIR:

Prior to examination on the merits, please amend the above-identified application as follows.

IN THE SPECIFICATION

Page 1, before line 2, delete the title of the invention in its entirety, and insert therefor:

-- NEW USE OF IMMUNOSUPPRESSANTS FOR MMP-MEDIATED DISEASES --

IN THE CLAIMS

Please amend the claims as follows:

--8. (Amended) The immunosuppressant used in claim 1 is tacrolimus, cyclosporin A  
or 33-epi-chloro-33-desoxyascomycin.--

Please add the following claims:

--10. The method of Claim 6, wherein said immunosuppressant is selected from the group consisting of tacrolimus, cyclosporin A and 33-epi-chloro-33-desoxyascomycin.

11. The pharmaceutical composition of Claim 7, wherein said immunosuppressant is selected from the group consisting of tacrolimus, cyclosporin A and 33-epi-chloro-33-desoxyascomycin.--

REMARKS

Claims 1-11 are active in the present application. The claims are amended to remove multiple dependencies. Support for Claim 10 and 11 is found in Claim 8 and the specification as filed. No new matter is added. An action on the merits and allowance of the claims is solicited.

Respectfully submitted,

OBLON, SPIVAK, McCLELLAND,  
MAIER & NEUSTADT, P.C.



Norman F. Oblon  
Attorney of Record  
Registration No. 24,618

Daniel J. Pereira, Ph.D.  
Registration No. 45,518



**22850**

(703) 413-3000  
NFO/DJP/smi

WILLIAM E. BEAUMONT  
REGISTRATION NUMBER 30,996

I:\user\DJPER\204415US-pr.wpd

204415US0PCT

**Marked-Up Copy**

Serial No: \_\_\_\_\_

Amendment Filed on: \_\_\_\_\_

**IN THE CLAIMS**

Please amend the claims as follows:

--8. (Amended) The immunosuppressant used in claim 1 [Claims 1 to 7] is tacrolimus, cyclosporin A or 33-epi-chloro-33-desoxyascomycin.--

## DESCRIPTION

NEW USE

## Field of the Invention

This invention relates to a new use of an immunosuppressant. More specifically, this invention relates to a new use of immunosuppressant as matrix metalloproteinases production inhibitor (hereinafter, referred to as MMP-production inhibitor).

## Background Art

Matrix metalloproteinases (hereinafter, referred to as MMPs) are a large family of  $Zn^{2+}$  endopeptidases that include 72 and 92 kDa gelatinase, collagenase, stromelysin and membrane-bound MMPs. They are expressed in inflammatory conditions and collectively capable of degrading most connective tissues. MMPs, such as gelatinase (MMP-2, MMP-9), stromelysin (MMP-3) and collagenase (MMP-1, MMP-8, MMP-13), are involved in tissue matrix degradation and have been implicated in many pathological conditions involving abnormal connective tissue and basement membrane matrix metabolism.

## Disclosure of the Invention

This invention provides a new use of an immunosuppressant as MMP-production inhibitor.

Further, this invention provide a new MMP-production inhibitor comprising an immunosuppressant as an active

ingredient.


Still further, this invention provide a new use of an immunosuppressant for manufacturing a medicament for preventing or treating MMP-mediated diseases, and a new method by using its medicament and a medicament therefor.

Various immunosuppressants have already been known. For example, it is well known that cyclosporins and tacrolimus (FK506), and their derivatives, possess a strong immunosuppressive activity, which were shown in, for example, J. Antibiotics 40(1987), 1256-1265, USP4,929,611, and so on.

The inventors of this invention have surprisingly found that the immunosuppressant mentioned herein below has a new activity, i.e., MMP-production inhibitory activity.

The "immunosuppressant" used in the present invention should not be limited.

One example of the immunosuppressant is macrolides of the following formula (I).





(wherein each of adjacent pairs of  $R^1$  and  $R^2$ ,  $R^3$  and  $R^4$ , and  $R^5$  and  $R^6$  independently

(a) is two adjacent hydrogen atoms, but  $R^2$  may also be an alkyl group or

(b) may form another bond formed between the carbon atoms to which they are attached;

$R^7$  is a hydrogen atom, a hydroxy group, a protected hydroxy group, or an alkoxy group, or an oxo group together with  $R^1$ ;

$R^8$  and  $R^9$  are independently a hydrogen atom or a hydroxy group;

$R^{10}$  is a hydrogen atom, an alkyl group, an alkyl group substituted by one or more hydroxy groups, an alkenyl group, an alkenyl group substituted by one or more hydroxy groups, or an alkyl group substituted by an oxo group;

X is an oxo group, (a hydrogen atom and a hydroxy group), (a hydrogen atom and a hydrogen atom), or a group represented by the formula  $-\text{CH}_2\text{O}-$ ;

Y is an oxo group, (a hydrogen atom and a hydroxy group), (a hydrogen atom and a hydrogen atom), or a group represented by the formula  $\text{N}-\text{NR}^{11}\text{R}^{12}$  or  $\text{N}-\text{OR}^{13}$ ;

$R^{11}$  and  $R^{12}$  are independently a hydrogen atom, an alkyl group, an aryl group or a tosyl group;

$R^{13}$ ,  $R^{14}$ ,  $R^{15}$ ,  $R^{16}$ ,  $R^{17}$ ,  $R^{18}$ ,  $R^{19}$ ,  $R^{20}$  and  $R^{21}$  are independently a hydrogen atom or an alkyl group;

$R^{22}$  is an optionally substituted ring system which may contain one or more heteroatoms;

n is an integer of 1 or 2; and  
 in addition to the above definitions, Y, R<sup>10</sup> and R<sup>23</sup>, together with the carbon atoms to which they are attached, may represent a saturated or unsaturated 5- or 6-membered nitrogen, sulfur and/or oxygen containing heterocyclic ring optionally substituted by one or more groups selected from the group consisting of an alkyl, a hydroxy, an alkoxy, a benzyl, a group of the formula -CH<sub>2</sub>Se(C<sub>6</sub>H<sub>5</sub>), and an alkyl substituted by one or more hydroxy groups.

Preferable R<sup>24</sup> may be cyclo(C<sub>3-7</sub>)alkyl group, and the following ones can be exemplified.

- (a) a 3,4-di-oxo-cyclohexyl group;
- (b) a 3-R<sup>20</sup>-4-R<sup>21</sup>-cyclohexyl group,

in which R<sup>20</sup> is hydroxy, an alkoxy group, an oxo group, or a -OCH<sub>2</sub>OCH<sub>2</sub>CH<sub>2</sub>OCH<sub>3</sub> group, and

R<sup>21</sup> is hydroxy, -OCN, an alkoxy group, a heteroaryloxy which may be substituted by suitable substituents, a -OCH<sub>2</sub>OCH<sub>2</sub>CH<sub>2</sub>OCH<sub>3</sub> group, a protected hydroxy group, chloro, bromo, iodo, aminooxalyloxy, an azido group, p-tolyloxythiocarbonyloxy, or R<sup>25</sup>R<sup>26</sup>CHCOO-,

in which R<sup>25</sup> is optionally protected hydroxy

or protected amino, and

R<sup>26</sup> is hydrogen or methyl, or

R<sup>20</sup> and R<sup>21</sup> together form an oxygen atom in an epoxide ring; or

(c) cyclopentyl group substituted by methoxymethyl, optionally protected hydroxymethyl, acyloxymethyl

(in which the acyl moiety optionally contains either a dimethylamino group which may be quaternized, or a carboxy group which may be esterified), one or more amino and/or hydroxy groups which may be protected, or aminooxalyloxymethyl. A preferred example is a 2-formyl-cyclopentyl group.

The definitions used in the above general formula (I) and the specific and preferred examples thereof are now explained and set forth in detail.

The term "lower" means, unless otherwise indicated, a group having 1 to 6 carbon atoms.

Preferable examples of the "alkyl groups" and an alkyl moiety of the "alkoxy group" include a straight or branched chain aliphatic hydrocarbon residue, for example, a lower alkyl group such as methyl, ethyl, propyl, isopropyl, butyl, isobutyl, pentyl, neopentyl and hexyl.

Preferable examples of the "alkenyl groups" include a straight or branched chain aliphatic hydrocarbon residue having one double-bond, for example, a lower alkenyl group such as vinyl, propenyl (e.g., allyl group), butenyl, methylpropenyl, pentenyl and hexenyl.

Preferable examples of the "aryl groups" include phenyl, tolyl, xylyl, cumenyl, mesityl and naphthyl.

Preferable protective groups in the "protected hydroxy groups" and the "protected amino" are 1-(lower alkylthio)-(lower)alkyl group such as a lower alkylthiomethyl group (e.g., methylthiomethyl, ethylthiomethyl, propylthiomethyl, isopropylthiomethyl, butylthiomethyl, isobutylthiomethyl, hexylthiomethyl, etc.), more preferably C<sub>1</sub>-C<sub>4</sub> alkylthiomethyl group, most preferably methylthiomethyl group;

trisubstituted silyl group such as a tri(lower)alkylsilyl (e.g., trimethylsilyl, triethylsilyl, tributylsilyl, tert-butyltrimethylsilyl, tri-tert-butylsilyl, etc.) or lower alkyl-diarylsilyl (e.g., methyldiphenylsilyl, ethyldiphenylsilyl, propyldiphenylsilyl, tert-butyltrimethylsilyl, etc.), more preferably tri(C<sub>1</sub>-C<sub>4</sub>)alkylsilyl group and C<sub>1</sub>-C<sub>4</sub> alkyl-diphenylsilyl group, most preferably tert-butyltrimethylsilyl group and tert-butyltrimethylsilyl group; and an acyl group such as an aliphatic, aromatic acyl group or an aliphatic acyl group substituted by an aromatic group, which are derived from a carboxylic acid, sulfonic acid or carbamic acid.

Examples of the aliphatic acyl groups include a lower alkanoyl group optionally having one or more suitable substituents such as carboxy, e.g., formyl, acetyl, propionyl, butyryl, isobutyryl, valeryl, isovaleryl, pivaloyl, hexanoyl, carboxyacetyl, carboxypropionyl, carboxybutyryl,

carboxyhexanoyl, etc.;

a cyclo(lower)alkoxy(lower)alkanoyl group optionally having one or more suitable substituents such as lower alkyl, e.g., cyclopropyloxyacetyl, cyclobutyloxypropionyl, cycloheptyloxybutyryl, menthyloxyacetyl, menthyloxypropionyl, menthyloxybutyryl, menthyloxy-pentanoyl, menthyloxyhexanoyl, etc.; a camphorsulfonyl group; or a lower alkylcarbamoyl group having one or more suitable substituents such as carboxy or protected carboxy, for example, carboxy(lower)alkylcarbamoyl group (e.g., carboxymethylcarbamoyl, carboxyethylcarbamoyl, carboxypropylcarbamoyl, carboxybutylcarbamoyl, carboxypentylcarbamoyl, carboxyhexylcarbamoyl, etc.), tri-(lower)alkylsilyl(lower)alkoxycarbonyl(lower)alkylcarbamoyl group (e.g., trimethylsilylmethoxycarbonylethylcarbamoyl, trimethylsilylethoxycarbonylpropylcarbamoyl, triethylsilylethoxycarbonylpropylcarbamoyl, tert-butyl-dimethylsilylethoxycarbonylpropylcarbamoyl, tri-methylsilylpropoxycarbonylbutylcarbamoyl, etc.) and so on.

Examples of the aromatic acyl groups include an aroyl group optionally having one or more suitable substituents such as nitro, e.g., benzoyl, toluoyl, xyloyl, naphthoyl, nitrobenzoyl, dinitrobenzoyl, nitronaphthoyl, etc.; and an arenesulfonyl group optionally having one or more suitable substituents such as halogen, e.g., benzenesulfonyl, toluenesulfonyl, xylenesulfonyl, naphthalenesulfonyl, fluorobenzenesulfonyl, chlorobenzenesulfonyl,

bromobenzenesulfonyl, iodobenzenesulfonyl, etc.

Examples of the aliphatic acyl groups substituted by an aromatic group include ar(lower)alkanoyl group optionally having one or more suitable substituents such as lower alkoxy or trihalo(lower)alkyl, e.g., phenylacetyl, phenylpropionyl, phenylbutyryl, 2-trifluoromethyl-2-methoxy-2-phenylacetyl, 2-ethyl-2-trifluoromethyl-2-phenylacetyl, 2-trifluoromethyl-2-propoxy-2-phenylacetyl, etc.

More preferable acyl groups among the aforesaid acyl groups are C<sub>1</sub>-C<sub>4</sub> alkanoyl group optionally having carboxy, cyclo(C<sub>5</sub>-C<sub>6</sub>)alkoxy(C<sub>1</sub>-C<sub>4</sub>)alkanoyl group having two (C<sub>1</sub>-C<sub>4</sub>) alkyls at the cycloalkyl moiety, camphorsulfonyl group, carboxy-(C<sub>1</sub>-C<sub>4</sub>)alkylcarbamoyl group, tri(C<sub>1</sub>-C<sub>4</sub>)alkylsilyl(C<sub>1</sub>-C<sub>4</sub>)alkoxycarbonyl(C<sub>1</sub>-C<sub>4</sub>)-alkylcarbamoyl group, benzoyl group optionally having one or two nitro groups, benzenesulfonyl group having halogen, or phenyl(C<sub>1</sub>-C<sub>4</sub>)alkanoyl group having C<sub>1</sub>-C<sub>4</sub> alkoxy and trihalo(C<sub>1</sub>-C<sub>4</sub>)alkyl group. Among these, the most preferable ones are acetyl, carboxypropionyl, menthyloxyacetyl, camphorsulfonyl, benzoyl, nitrobenzoyl, dinitrobenzoyl, iodobenzenesulfonyl and 2-trifluoromethyl-2-methoxy-2-phenylacetyl.

Preferable examples of the "5- or 6-membered nitrogen, sulfur and/or oxygen containing heterocyclic ring" include a pyrrolyl group and a tetrahydrofuryl group.


"A heteroaryl which may be substituted by suitable

substituents" moiety of the "heteroaryloxy which may be substituted by suitable substituents" may be the ones exemplified for R<sup>1</sup> of the compound of the formula of EP-A-532,088, with preference given to 1-hydroxyethylindol-5-yl, the disclosure of which is incorporated herein by reference.

The compounds (I) and its pharmaceutically acceptable salt for use in accordance with this invention are well known to have excellent immunosuppressive activity, antimicrobial activity and other pharmacological activities and, as such, be of value for the treatment or prevention of rejection reactions by transplantation of organs or tissues, graft-vs-host diseases, autoimmune diseases, and infectious diseases [EP-A-0184162, EP-A-0323042, EP-A-423714, EP-A-427680, EP-A-465426, EP-A-480623, EP-A-532088, EP-A-532089, EP-A-569337, EP-A-626385, WO89/05303, WO93/05058, WO96/31514, WO91/13889, WO91/19495, WO93/5059, etc.], the disclosures of which are incorporated herein by reference.

Particularly, the compounds which are designated as FR900506 (=FK506), FR900520 (ascomycin), FR900523, and FR900525 are products produced by microorganisms of the genus Streptomyces, such as Streptomyces tsukubaensis No. 9993 [deposited with National Institute of Bioscience and Human Technology Agency of Industrial Science and Technology (formerly Fermentation Research Institute Agency of Industrial Science and Technology), at 1-3, Higashi 1-chome, Tsukuba-shi, Ibaraki,

Japan, date of deposit October 5, 1984, accession number FERM BP-927] or Streptomyces hygroscopicus subsp. yakushimaensis No. 7238 [deposited with National Institute of Bioscience and Human Technology Agency of Industrial Science and Technology (formerly Fermentation Research Institute Agency of Industrial Science and Technology), at 1-3, Higashi 1-chome, Tsukuba-shi, Ibaraki, Japan, date of deposit January 12, 1985, accession number FERM BP-928] [EP-A-0184162]. The FK506 (general name: tacrolimus) of the following chemical formula, in particular, is a representative compound.



Chemical name: 17-allyl-1,14-dihydroxy-12-[2-(4-hydroxy-3-methoxycyclohexyl)-1-methylvinyl]-23,25-dimethoxy-13,19,21,27-tetramethyl-11,28-dioxa-4-azatricyclo[22.3.1.0<sup>4,9</sup>]octacos-18-ene-2,3,10,16-tetraone

The preferable macrolides (I) is tacrolimus, ascomycin or its derivatives such as 33-epi-chloro-33-desoxyascomycin, which is disclosed in EP 427,680, example 66a. Other preferable compounds (I) are, for example, the compound of example 6d in



EP569337, and the compound of example 8, EP626385.

The compounds shown in EP-0184162, EP323042, EP424714, EP427680, EP465426, EP474126, EP480623, EP484936, EP532088, EP532089, EP569337, EP626385, WO89/05303, WO93/05058, WO96/31514, WO91/13889, WO91/19495, WO93/5059, WO96/31514 and so on, are also exemplified as the preferable examples of the macrolides (I), the disclosures of which are incorporated herein by reference.

Further example of the immunosuppressant is cyclosporins, such as cyclosporin A, B, D, etc, which are shown in THE MERCK INDEX (12th edition), No. 2821, the disclosure of which is incorporated herein by reference.

Still further example of the immunosuppressant is an another type of macrolide which is called as rapamycin [THE MERCK INDEX (12th edition), No. 8288] and its derivatives. Preferable example of the derivatives is an O-substituted derivative in which the hydroxy in position 40 of formula A illustrated at page 1 of WO 95/16691, incorporated herein by reference, is replaced by -OR<sub>1</sub> in which R<sub>1</sub> is hydroxyalkyl, hydroalkoxyalkyl, acylaminoalkyl and aminoalkyl; for example 40-O-(2-hydroxy)ethyl-rapamycin, 40-O-(3-hydroxy)propyl-rapamycin, 40-O-[2-(2-hydroxy)ethoxy]ethyl-rapamycin and 40-O-(2-acetaminoethyl)-rapamycin. These O-substituted derivatives may be produced by reacting rapamycin (or dihydro or deoxo-

rapamycin) with an organic radical attached to a leaving group (for example RX where R is the organic radical which is desired as the O-substituent, such as an alkyl, allyl, or benzyl moiety, and X is a leaving group such as  $\text{CCl}_3\text{C}(\text{NH})\text{O}$  or  $\text{CF}_3\text{SO}_3$ ) under suitable reaction conditions. The conditions may be acidic or neutral conditions, for example in the presence of an acid like trifluoromethanesulfonic acid, camphorsulfonic acid, p-toluenesulfonic acid or their respective pyridinium or substituted pyridinium salts when X is  $\text{CCl}_3\text{C}(\text{NH})\text{O}$  or in the presence of a base like pyridine, a substituted pyridine, diisopropylethylamine or pentamethylpiperidine when X is  $\text{CF}_3\text{SO}_3$ . The most preferable one is 40-O-(2-hydroxy)ethyl rapamycin, which is disclosed in WO94/09010, the disclosure of which is incorporated herein by reference.

The macrolides (I), and rapamycin and its derivatives, have a similar basic structure, i.e., tricyclic macrolide structure, and at least one of the biological properties (for example, immunological properties).

The preferable immunosuppressant in the present invention is the one having the inhibitory activity on  $\text{TNF-}\alpha$  and/or  $\text{IFN-}\gamma$  production.

The immunosuppressant may be in a form of its salt, which includes conventional non-toxic and pharmaceutically acceptable salt such as the salt with inorganic or organic bases, specifically, an alkali metal salt such as sodium salt and

potassium salt, an alkali earth metal salt such as calcium salt and magnesium salt, an ammonium salt and an amine salt such as triethylamine salt and N-benzyl-N-methylamine salt.

With respect to the immunosuppressant such as the macrolides (I), it is to be understood that there may be conformers and one or more stereoisomers such as optical and geometrical isomers due to asymmetric carbon atom(s) or double bond(s), and such conformers and isomers are also included within the scope of the present invention.

The immunosuppressant, particularly the macrolides (I) or its pharmaceutically acceptable salt, can be in the form of a solvate, which is included within the scope of the present invention. The solvate preferably include a hydrate and an ethanolate.

And further, the immunosuppressant can be in the form of pro-drugs, suitable derivatives, and so on.

The preferred examples of the immunosuppressant are the macrolides (I), wherein each of adjacent pairs of  $R^3$  and  $R^4$  or  $R^5$  and  $R^6$  independently form another bond formed between the carbon atoms to which they are attached;

each of  $R^8$  and  $R^{23}$  is independently a hydrogen atom;

$R^9$  is a hydroxy group;

$R^{10}$  is a methyl group, an ethyl group, a propyl group or an allyl group;

X is (a hydrogen atom and a hydrogen atom) or an oxo group;

Y is an oxo group;

each of  $R^{14}$ ,  $R^{15}$ ,  $R^{16}$ ,  $R^{17}$ ,  $R^{18}$ ,  $R^{19}$ , and  $R^{22}$  is a methyl group;  
 $R^{24}$  is a 3- $R^{20}$ -4- $R^{21}$ -cyclohexyl group,

in which  $R^{20}$  is hydroxy, an alkoxy group, an oxo group, or  
 a  $-OCH_2OCH_2CH_2OCH_3$  group, and

$R^{21}$  is hydroxy,  $-OCN$ , an alkoxy group, a  
 heteroaryloxy which may be substituted by  
 suitable substituents, a  
 $-OCH_2OCH_2CH_2OCH_3$  group, a protected hydroxy  
 group, chloro, bromo, iodo, aminooxalyloxy, an  
 azido group, p-tolyloxythiocarbonyloxy,  
 or  $R^{25}R^{26}CHCOO-$ ,

in which  $R^{25}$  is optionally protected hydroxy  
 or protected amino, and

$R^{26}$  is hydrogen or methyl, or

$R^{20}$  and  $R^{21}$  together form an oxygen atom in an epoxide  
 ring; and  
 n is an integer of 1 or 2.

Tacrolimus is the most preferable compound belonging to the  
 immunosuppressant. Other preferable compounds are listed  
 herein below.

17-Ethyl-1,14-dihydroxy-12-[2-(4-hydroxy-3-  
 methoxycyclohexyl)-1-methylvinyl]-23,25-dimethoxy-  
 13,19,21,27-tetramethyl-11,28-dioxa-4-azatricyclo[22.3.1.0  
 4,9]octacos-18-ene-2,3,10,16-tetraone (= ascomycin):  
 33-epi-chloro-33-desoxyascomycin (EP-A-427680, example 66a):  
 and 40-O-(2-hydroxy)ethyl rapamycin (WO94/0910).

"MMP-production inhibitor" in the present invention is used to mean the one having inhibitory or reducing activity on the production of MMPs. Preferable MMPs is gelatinase and collagenase. Most preferable "MMP-production inhibitor" is collagenase-production inhibitor.

"MMP-mediated diseases" in the present invention is used to mean various diseases and pathological conditions caused by MMPs involving abnormal connective tissue and basement membrane matrix metabolism.

Particularly, preferable MMP-mediated diseases are the diseases or conditions caused by gelatinase and/or collagenase, and/or inflammatory diseases concerned with gelatinase; such as arthritis (e.g., osteoarthritis, rheumatoid arthritis, etc.), cerebral diseases (e.g., stroke, etc.), tissue ulceration (e.g., corneal, epidermal and gastric ulceration, etc.), abnormal wound healing, periodontal diseases, bone diseases (e.g., Paget's diseases, osteoporosis, etc.), tumor growth, tumor metastasis or invasion, HIV-infection, decubitus, decubitus ulcer, restenosis, epidermolysis bullosa, sepsis, septic shock, neoplasm, psoriasis, neovascularization, multiple sclerosis, and so on. More preferable "MMP-mediated diseases" of the present invention is cartilage degradation and/or connective tissue degradation, and rheumatoid arthritis which accompanies such degradation.

The immunosuppressant used in the present invention may be administered as pure compounds or mixtures of compounds or preferably, in a pharmaceutical vehicle or carrier.

The pharmaceutical compositions of this invention can be used in the form of a pharmaceutical preparation, for example, in solid, semisolid or liquid form, which contains the immunosuppressant, as an active ingredient, in admixture with an organic or inorganic carrier or excipient suitable for pharmaceutical use. The active ingredient may be compounded, for example, with the usual non-toxic, pharmaceutically acceptable, carriers for solutions (saline, for example), emulsion, suspensions (olive oil, for example), ointment, aerosol sprays, lotion, cream, gel, skin plasters, patches and any other form suitable for use. The carriers which can be used are water, glucose, lactose, gum acacia, gelatin, mannitol, starch paste, magnesium trisilicate, talc, corn starch, keratin, colloidal silica, potato starch, urea and other carriers suitable for use in manufacturing preparations, in solid, semisolid, or liquid form, and in addition auxiliary, stabilizing, thickening and coloring agents and perfumes may be used. The active object compound is included in the pharmaceutical composition in an effective amount sufficient to produce the desired effect upon the process or condition of the disease.

Mammals which may be treated using the method of the present invention include livestock mammals such as cows, horses,

etc., domestic animals such as dogs, cats, rats, etc. and humans.

While the dosage of therapeutically effective amount of the immunosuppressant varies from and also depends upon the age and condition of each individual patient to be treated, a daily dose of about 0.0001-1000 mg, preferably 0.001-500 mg and more preferably 0.01-100 mg. of the active ingredient is generally given for treating diseases, and an average single dose of about 0.001-0.01mg, 0.2-0.5 mg, 1 mg, 5 mg, 10 mg, 50 mg, 100 mg, 250 mg and 500 mg is generally administered. Daily doses for chronic administration in humans will be in the range of about 0.1-0.3 mg/kg/day.

The following examples illustrate the present invention in further detail. It should be understood that those examples are not intended to limit the scope of the invention.

#### Example 1

The inhibitory activity of FK506, which is a representative of immunosuppressant, on MMP-production was assayed by the following method.

#### Materials and methods

Bone and excess tissue overlying the cartilage was removed under sterile conditions, in an airflow hood. The septum was washed in 70% ethanol before the cartilage was cut to a weight of  $40 \pm 2$ mg. The cartilages were wrapped tightly in sterile cotton squares and soaked in 0.1ml of a 10mg/ml homogenized

suspension of heat-killed *Mycobacterium tuberculosis* H37RA (Difco) in saline. Eight cartilages were stored in  $-20^{\circ}\text{C}$ , these were to measure the levels of collagen in non-implanted cartilages.

Eight weeks old female Lewis rats were anaesthetized using halothane. The stomach area was shaved and swabbed with ethanol. A single cotton wrapped cartilage was inserted subcutaneously to the right side of a ventral midline incision. The wound was sealed using a skin staple, and the animal allowed to recover. The animals were orally dosed once daily with 0.5% methylcellulose as a control vehicle or FK506 on day 1 after cotton wrapped cartilages implantation. After fourteen days, the animals were killed and the implanted cartilage and the adjacent granulomatous tissue were excised. The removed bovine nasal cartilage was washed twice with PBS and assayed for hydroxyproline.

The individual cartilages were incubated at  $65^{\circ}\text{C}$  in 1ml of a phosphate buffered solution, pH 6.5, of papain (1mg/ml) containing 2mM N-acetyl-L-cystein and EDTA. The resulting digested cartilages were hydrolysed in 6M hydrochloric acid for 18hr at  $110^{\circ}\text{C}$ . The hydrolysate was diluted 1:20 in acetate/citrate buffer before being assayed for hydroxyproline by using the Chrolamine T/p-dimethylamino-benzaldehyde reaction.

The granulomatous tissues were homogenized in 1ml of 50mM Tris, pH 7.5 containing 5mM  $\text{CaCl}_2$ , 0.1 % Triton X-100 and 0.02%



NaN3). After centrifugation of the extract at 15000rpm for 10min to remove debris, the supernatant was assayed for collagenolytic activity, gelatinolytic activity, tumor necrosis factor- $\alpha$  (TNF- $\alpha$ ) level and Interferon- $\gamma$  (IFN- $\gamma$ ) level. Collagenolytic and gelatinolytic activities in the extracts were measured using commercial assay kits (YAGAI, Japan). Cytokines levels were also measured using ELISA kits (Cosmo Bio, Japan). The protein contents in the extracts was determined using the method of Lowry.

Data is expressed as mean $\pm$ SEM. The significance of differences was determined by Dunnett's multiple comparison test (\*p<0.05, \*\*p<0.01).

### Results

FK506 was administered at a dosages of 1.0 to 3.2mg/kg (po, uid). FK506 (3.2mg/kg) inhibited the decrease of hydroxyproline contents in cartilage by 62% (Table 1), which indicates that cartilage degradation was decreased by the administration of FK506. As shown in Table 2, FK506 inhibited the production of collagenase and gelatinase in a dose-dependent manner.

The obtained result indicates that the immunosuppressant, such as FK506, is useful for MMP-production inhibitor, collagenase-production inhibitor, gelatinase-production inhibitor, and/or for treating or preventing MMP-mediated diseases.

It is also apparent that FK506 inhibited the elevation of TNF- $\alpha$  and IFN- $\gamma$  production in vivo (Table 3).

Table 1. Effect of FK506 on cartilage degradation in implant model.

Dose (mg/kg)	Recovery(%) of Hydroxyproline
3.2	61.9 **

Table 2. Effect of FK506 on production of MMPs in implant model.

Dose (mg/kg)	inhibition (%)	
	collagenase	gelatinase
1.0	7.7	67.9 *
3.2	29.8	82.1 **

Table 3. Effect of FK506 on elevation of TNF- $\alpha$  and IFN- $\gamma$  production in implant model.

Dose (mg/kg)	inhibition (%)	
	TNF- $\alpha$	IFN- $\gamma$
1.0	43.9 **	58.1
3.2	56.6 **	73.4 *

#### Example 2

The following pharmaceutical composition can be applied to patients suffering MMP-mediated diseases.

(1) Oral composition

FK 506 Substance	1 g
Hydroxypropyl methylcellulose 2910 (TC-5R)	1 g
Lactose	2 g
Croscarmellose sodium (Ac-Di-Sol)	1 g

The above composition is prepared according to a similar manner to that of EP-A-0240773.

(2) Ointment

FK506 Substance	0.1 g
propylene carbonate	5.00 g
liquid paraffin	11.0 g
solid paraffin	3.0 g
white bees wax	3.5 g
white petrolatum	q.s. (to 100.0 g)

The ointment composed of the above ingredient was prepared according to a similar manner to that of the Example 1 described in USP 5,385,907.


(3) Similar ointment is prepared by using 33-epi-chloro-33-desoxyascomycin, as an active ingredient, according to a similar manner to that of the above (2).

(4) Similar ointment is prepared by using 40-O-(2-hydroxy) ethylrapamycin, as an active ingredient, according to a similar manner to that of the above (2).

The patents, patent applications and publications cited herein are incorporated by reference.

## CLAIMS

1. A use of an immunosuppressant as MMP-production inhibitor.
2. The use of Claim 1, in which the immunosuppressant is macrolides of the following formula (I).



(wherein each of adjacent pairs of  $R^1$  and  $R^2$ ,  $R^3$  and  $R^4$ , and  $R^5$  and  $R^6$  independently

(a) is two adjacent hydrogen atoms, but  $R^2$  may also be an alkyl group or

(b) may form another bond formed between the carbon atoms to which they are attached;

$R^1$  is a hydrogen atom, a hydroxy group, a protected hydroxy group, or an alkoxy group, or an oxo group together with  $R^1$ ;

$R^8$  and  $R^9$  are independently a hydrogen atom or a hydroxy group;

$R^{10}$  is a hydrogen atom, an alkyl group, an alkyl group substituted by one or more hydroxy groups, an alkenyl group, an alkenyl group substituted by one or more hydroxy groups, or an

alkyl group substituted by an oxo group;

X is an oxo group, (a hydrogen atom and a hydroxy group), (a hydrogen atom and a hydrogen atom), or a group represented by the formula  $-\text{CH}_2\text{O}-$ ;

Y is an oxo group, (a hydrogen atom and a hydroxy group), (a hydrogen atom and a hydrogen atom), or a group represented by the formula  $\text{N}-\text{NR}^{11}\text{R}^{12}$  or  $\text{N}-\text{OR}^{13}$ ;

$\text{R}^{11}$  and  $\text{R}^{12}$  are independently a hydrogen atom, an alkyl group, an aryl group or a tosyl group;

$\text{R}^{13}$ ,  $\text{R}^{14}$ ,  $\text{R}^{15}$ ,  $\text{R}^{16}$ ,  $\text{R}^{17}$ ,  $\text{R}^{18}$ ,  $\text{R}^{19}$ ,  $\text{R}^{22}$  and  $\text{R}^{23}$  are independently a hydrogen atom or an alkyl group;

$\text{R}^{24}$  is an optionally substituted ring system which may contain one or more heteroatoms;

n is an integer of 1 or 2; and

in addition to the above definitions, Y,  $\text{R}^{10}$  and  $\text{R}^{23}$ , together with the carbon atoms to which they are attached, may represent a saturated or unsaturated 5- or 6-membered nitrogen, sulfur and/or oxygen containing heterocyclic ring optionally substituted by one or more groups selected from the group consisting of an alkyl, a hydroxy, an alkoxy, a benzyl, a group of the formula  $-\text{CH}_2\text{Se}(\text{C}_6\text{H}_5)$ , and an alkyl substituted by one or more hydroxy groups, or a pharmaceutically acceptable salt thereof.

3. MMP-production inhibitor, which comprises an immunosuppressant as an active ingredient.

4. A method for inhibiting a production of MMPs, which comprises administering an immunosuppressant.
5. A use of an immunosuppressant for manufacturing a medicament for preventing or treating MMP-mediated diseases.
6. A method for preventing or treating MMP-mediated diseases, which comprises administering an immunosuppressant to mammals.
7. A pharmaceutical composition for preventing or treating MMP-mediated diseases, which comprises an immunosuppressant in admixture with a carrier or excipient.
8. The immunosuppressant used in Claims 1 to 7 is tacrolimus, cyclosporin A or 33-epi-chloro-33-desoxyascomycin.
9. A use, prophylactic or therapeutic agent, method, pharmaceutical composition or process substantially as hereinbefore described as being in accordance with the present invention.

# Declaration, Power Of Attorney and Petition

Page 1 of 3

WE (I) the undersigned inventor(s), hereby declare(s) that:

My residence, post office address and citizenship are as stated below next to my name,

We (I) believe that we are (I am) the original, first, and joint (sole) inventor(s) of the subject matter which is claimed and for which a patent is sought on the invention entitled

NEW USE OF IMMUNOSUPPRESSANTS FOR MMP-MEDIATED DISEASES

the specification of which

☐ is attached hereto.

☐ was filed on \_\_\_\_\_ as

Application Serial No. \_\_\_\_\_

and amended on \_\_\_\_\_.

☒ was filed as PCT international application

Number \_\_\_\_\_ PCT/JP99/04978

on \_\_\_\_\_ September 10, 1999,

and was amended under PCT Article 19

on \_\_\_\_\_ (if applicable).

We (I) hereby state that we (I) have reviewed and understand the contents of the above-identified specification, including the claims, as amended by any amendment referred to above.

We (I) acknowledge the duty to disclose information known to be material to the patentability of this application as defined in Section 1.56 of Title 37 Code of Federal Regulations.

We (I) hereby claim foreign priority benefits under 35 U.S.C. § 119(a)-(d) or § 365(b) of any foreign application(s) for patent or inventor's certificate, or § 365(a) of any PCT International application which designated at least one country other than the United States, listed below and have also identified below, by checking the box, any foreign application for patent or inventor's certificate, or PCT International application having a filing date before that of the application on which priority is claimed. Prior Foreign Application(s)

Application No.	Country	Day/Month/Year	Priority Claimed
PP5841	Australia	14/09/98	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
_____	_____	_____	<input type="checkbox"/> Yes <input type="checkbox"/> No
_____	_____	_____	<input type="checkbox"/> Yes <input type="checkbox"/> No
_____	_____	_____	<input type="checkbox"/> Yes <input type="checkbox"/> No

We (I) hereby claim the benefit under Title 35, United States Code, § 119(e) of any United States provisional application(s) listed below.

<u>                    </u> (Application Number)	<u>                    </u> (Filing Date)
<u>                    </u> (Application Number)	<u>                    </u> (Filing Date)

We (I) hereby claim the benefit under 35 U.S.C. § 120 of any United States application(s), or § 365(c) of any PCT International application designating the United States, listed below and, insofar as the subject matter of each of the claims of this application is not disclosed in the prior United States or PCT International application in the manner provided by the first paragraph of 35 U.S.C. § 112, I acknowledge the duty to disclose information which is material to patentability as defined in 37 CFR § 1.56 which became available between the filing date of the prior application and the national or PCT International filing date of this application.

Application Serial No.	Filing Date	Status (pending, patented, abandoned)
<u>PCT/JP99/04978</u>	<u>September 10, 1999</u>	<u>                    </u>
<u>                    </u>	<u>                    </u>	<u>                    </u>
<u>                    </u>	<u>                    </u>	<u>                    </u>

And we (I) hereby appoint: Norman F. Oblon, Reg. No. 24,618; Marvin J. Spivak, Reg. No. 24,913; C. Irvin McClelland, Reg. No. 21,124; Gregory J. Maier, Reg. No. 25,599; Arthur I. Neustadt, Reg. No. 24,854; Richard D. Kelly, Reg. No. 27,757; James D. Hamilton, Reg. No. 28,421; Eckhard H. Kuesters, Reg. No. 28,870; Robert T. Pous, Reg. No. 29,099; Charles L. Gholz, Reg. No. 26,395; William E. Beaumont, Reg. No. 30,996; Jean-Paul Lavalleye, Reg. No. 31,451; Stephen G. Baxter, Reg. No. 32,884; Richard L. Treanor, Reg. No. 36,379; Steven P. Weihrouch, Reg. No. 32,829; John T. Goolkasian, Reg. No. 26,142; Richard L. Chinn, Reg. No. 34,305; Steven E. Lipman, Reg. No. 30,011; Carl E. Schlier, Reg. No. 34,426; James J. Kulbaski, Reg. No. 34,648; Richard A. Neifeld, Reg. No. 35,299; J. Derek Mason, Reg. No. 35,270; Surinder Sachar, Reg. No. 34,423; Jeffrey B. McIntyre, Reg. No. 36,867; William T. Enos, Reg. No. 33,128; Michael E. McCabe, Jr., Reg. No. 37,182; Bradley D. Lytle, Reg. No. 40,073; and Michael R. Casey, Reg. No. 40,294; our (my) attorneys, with full powers of substitution and revocation, to prosecute this application and to transact all business in the Patent Office connected therewith; and we (I) hereby request that all correspondence regarding this application be sent to the firm of OBLON, SPIVAK, MCCLELLAND, MAIER & NEUSTADT, P.C., whose Post Office Address is: Fourth Floor, 1755 Jefferson Davis Highway, Arlington, Virginia 22202.

CUSTOMER NO. 22850

We (I) declare that all statements made herein of our (my) own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code and that such willful false statements may jeopardize the validity of the application or any patent issuing thereon.

Nobuchika Yamamoto  
NAME OF FIRST SOLE INVENTOR

Residence: 2530-11, Ajiki, Tsukuba-shi,  
IBARAKI 300-4205 JAPAN ☒ P.X.

Nobuchika Yamamoto  
Signature of Inventor

Citizen of: Japan

Post Office Address:                       
the same as above

FEB. 28. 2001

Date



2-00 Harumi Yamazaki  
NAME OF SECOND JOINT INVENTOR

Harumi Yamazaki  
Signature of Inventor

FEB. 28. 2001

Date

3-00 Takeshi Ishikawa  
NAME OF THIRD JOINT INVENTOR

Takeshi Ishikawa  
Signature of Inventor

FEB. 28. 2001

Date

4-00 Shigeru Johki  
NAME OF FOURTH JOINT INVENTOR

Shigeru Johki  
Signature of Inventor

FEB. 28. 2001

Date

5-00 Fumihiko Sakai  
NAME OF FIFTH JOINT INVENTOR

Fumihiko Sakai  
Signature of Inventor

FEB. 28. 2001

Date

Residence: 1882-26, Shimoinayoshi,  
Chiyodamachi, Niihari-gun,  
IBARAKI 315-0052 JAPAN ☐ FAX

Citizen of: Japan

Post Office Address: \_\_\_\_\_  
the same as above

Residence: 3-6-6-602, Kaminoshima-cho,  
Amagasaki-shi, HYOGO 661-0014 ☐ FAX  
JAPAN

Citizen of: Japan

Post Office Address: \_\_\_\_\_  
the same as above

Residence: 3-23-7-303, Namiki,  
Tsukuba-shi, IBARAKI 305-0044 ☐ FAX  
JAPAN

Citizen of: Japan

Post Office Address: \_\_\_\_\_  
the same as above

Residence: 6-7, Ninomiya 2-chome,  
Tsukuba-shi, IBARAKI 305-0051 ☐ FAX  
JAPAN

Citizen of: Japan

Post Office Address: \_\_\_\_\_  
the same as above